



Solanki Global Ventures
Excellence Without Borders

COMPANY PROFILE



2026

Solanki Global Ventures is a merchant exporter from Vapi, supplying export-grade paper and sourcing packaging paper from India (Gujarat) to global markets, The global supply chain demands Reliable Partners in India.

ABOUT COMPANY

Who We Are & What We Do

We operate as a **merchant exporter** specialists in the sourcing and supply of **paper and paper-based packaging products** from India. Working closely with **established manufacturing partners**, we connect reliable production capabilities with the requirements of international buyers.

Our Sourcing & Quality Approach

Our approach is built around **clearly defined** specifications, consistent sourcing, and structured coordination from inquiry to shipment. By aligning product parameters such as **GSM, BF, size**, and **grade** with buyer needs, we ensure that each supply meets the intended application and **international usage standards**.

Our Services & Commitment to Buyers

Beyond product supply, we support buyers through **end-to-end export coordination**, including **supplier selection**, order execution, and shipment support. With a focus on professionalism, transparency, and **long-term partnerships**, we aim to deliver dependable quality and reliable service to global packaging and industrial buyers.

VISION

To be a **trusted sourcing** and **export partner** for paper and paper-based packaging products, connecting **reliable Indian manufacturing** capabilities with global buyer requirements through **consistency, transparency, and professional execution.**

MISSION

01

To source and supply **quality, export-grade paper products** aligned with **international buyer specifications**

02

To work with **established manufacturing** partners to ensure **consistency** and **reliability** in every supply

03

To maintain a **structured sourcing approach** that supports **quality alignment** and **application suitability**

04

To support **global buyers** through **dependable execution** and **long-term partnerships**

PRODUCT LIST

SR. NO.	PRODUCT NAME	HS CODE (6-digit)
1	Kraft Paper	4804.29
2	Test-liner Paper	4805.24
3	Fluting Medium	4805.12
4	Kraft Liner	4804.19
5	Paper Cups	4823.69
6	Paper Bags (Shopping / Food bags)	4819.4
7	Recycled Paper / Waste-based Paper	4805.92

Kraft Paper

Product Overview

Kraft Paper is a strong, durable paper produced mainly from virgin wood pulp using the kraft process. It is known for its high tear resistance and strength.

Technical Specification

Parameter	Specification
GSM Range	50 – 350 g/m ²
GSM Tolerance	±5%
Burst Factor (BF)	12 – 30
Tensile Strength (MD)	3.0 – 6.5 kN/m
Tensile Strength (CD)	1.5 – 3.5 kN/m
Moisture Content	6 – 8%
Finish	MG / MF
Shade	Natural Brown
Raw Material	Virgin / Recycled Pulp
Form	Roll / Sheet

Standard Reel Details

- Width: 500 mm – 2800 mm
- Diameter: Up to 1200 mm
- Core ID: 76 mm (3 inch)

Applications

- Wrapping, packaging, paper bags, industrial packing.

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Test liner Paper

Product Overview

Test Liner Paper is a recycled-based linerboard used as the outer or inner layer of corrugated boards.

Technical Specification

Parameter	Specification
GSM Range	110 – 350 g/m ²
GSM Tolerance	±5%
Burst Factor (BF)	18 – 35
Ring Crush Test (RCT)	3.0 – 6.5 kN/m
Cobb (Water Absorption)	≤ 100 g/m ²
Moisture Content	6 – 8%
Finish	(MF) Machine finished
Shade	Natural Brown
Raw Material	Recycled Pulp
Form	Roll / Sheet

Standard Reel Details

- Width: 500 mm – 2800 mm
- Diameter: Up to 1200 mm
- Core ID: 76 mm (3 inch)

Application

- Inner & outer liners of corrugated boxes.

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Fluting Medium

Product Overview

Fluting Medium is a specialized paper grade used as the corrugated (wave-shaped) inner layer in corrugated board production. It plays a critical role in providing strength, rigidity, and cushioning to corrugated packaging.

Technical Specification

Parameter	Specification
GSM Range	90 – 220 g/m ²
GSM Tolerance	±5%
Burst Factor (BF)	12 – 22
Ring Crush Test (RCT)	4 – 7 kN/m
Concora Medium Test (CMT)	60 – 110 N
Moisture Content	6 – 8%
Finish	Machine finished
Shade	Brown
Raw Material	Recycled Pulp
Form	Reel / Sheet

Standard Reel Details

- Width: 500 mm – 2800 mm
- Diameter: Up to 1200 mm
- Core ID: 76 mm (3 inch)

Application

- Middle fluting layer in corrugated boxes.

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Kraft Liner

Product Overview

Kraft Liner is a premium linerboard made from virgin or mixed pulp, used as the outer layer of corrugated packaging.

Technical Specification

Parameter	Specification
GSM Range	120 – 250 GSM
GSM Tolerance	±5%
Burst Factor (BF)	28 – 40
Ring Crush Test (RCT)	5.0 – 8.0 kN/m
Cobb (Water Absorption)	≤ 80 g/m ²
Moisture Content	6 – 8%
Finish	Machine finished
Shade	Brown
Raw Material	Virgin / Recycled Pulp
Form	Reel / Sheet

Standard Reel Details

- Width: 500 mm – 2800 mm
- Diameter: Up to 1200 mm
- Core ID: 76 mm (3 inch)

Application

- Corrugated Boxes
- Heavy-Duty, Printed and industrial Packaging
- Branded Packaging

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Paper Cups

Product Overview

Paper Cups are disposable containers manufactured from food-grade paperboard, typically coated for liquid resistance.

Technical Specification

Parameter	Specification
Sizes	4 oz – 16 oz
Material	Food-grade paperboard
Coating	PE / PLA
Wall Type	Single wall / Double wal
Printing	Flexo / Offset
Color	White / Printed
Leak Proof	Yes
Usage Temperature	Hot & Cold beverages

Packaging Format

- Sleeves (Typically 50 Pcs Per Sleeve)
- Export cartons
- Palletized shipment

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Printed Paper Bags

Product Overview

Printed Paper Bags combine functionality with branding, offering a sustainable alternative to plastic bags.

Technical Specification

Parameter	Specification
Sizes	Customize per required
Material	Kraft Paper
GSM Range	80 – 150 GSM
GSM Tolerance	±5%
Bag Type	Flat / SOS / Square Bottom
Handle Type	Flat / Twisted
Printing	Flexo / Offset
Color	Brown / White / Printed
Finish	Natural / Printed

Material Options

- Brown Kraft Paper
- White Kraft Paper
- Recycled Kraft Paper

- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

Recycled Paper

Product Overview

Recycled Paper is manufactured using post-consumer or post-industrial waste paper, supporting sustainability and cost efficiency.

Technical Specification

Parameter	Specification
GSM Range	80 - 250 GSM
GSM Tolerance	±5%
Burst Factor (BF)	10 - 18
Ring Crush Test (RCT)	As per GSM
Moisture Content	6 - 9%
Finish	Machine finished
Shade	Natural Brown / Grey
Raw Material	100% Recycled Fiber
Form	Reel / Sheet

Standard Reel Details

- Width: 500 mm - 2800 mm
- Diameter: Up to 1200 mm
- Core ID: 76 mm (3 inch)
- Technical specifications are indicative and may vary depending on GSM, raw material, and production batch. Final specifications will be confirmed at the time of order.

VALUE ADDED SERVICE

- **Specification Alignment**

Clear definition of GSM, BF, size, grade, and application requirements to match buyer expectations.

- **Multi-Source Coordination**

Access to multiple established manufacturing partners to support consistency and supply flexibility.

- **Shipment Readiness Support**

Coordination of packing, scheduling, and shipment preparation for smooth export execution.

- **Single-Point Communication**

Centralized coordination to ensure clear, timely communication throughout the order process.

CONTACT US

We are ready to assist you

For product inquiries, specifications, or export-related discussions, please contact our team. We support international buyers with timely responses and structured communication for paper and packaging product sourcing.



Sai Veer Industrial Park, No-25, Karvad,
Vapi, Gujarat-396193



+91-9724355019



www.solankiglobalventure.com



Info@solankiglobalventure.com